



Glass Channel-Metal Inserted

REPINCH-YM108X




DOOR BELT
RIGID STEEL CORE
ENCASED IN RUBBER
WITH BEADED
STAINLESS STEEL EDGE.
2.44 METRE LENGTHS

REPINCH-YM13X




DOOR BELT
RIGID STEEL CORE
ENCASED IN RUBBER
WITH BEADED STAINLESS
STEEL EDGE.
2.44 METRE LENGTHS

REPINCH-YMR219




DOOR BELT
RIGID STEEL CORE
ENCASED IN RUBBER
WITH BEADED
STAINLESS STEEL EDGE.
2.44 METRE LENGTHS

REPINCH-YM54R




DOOR BELT
FLEXIBLE PUNCHED STEEL
BASE ENCASED IN RUB-
BER WITH HIGH PILE
MOQUETTE AND
STAINLESS STEEL BEADED
EDGE.
2.44 METRE LENGTHS

REPINCH-YM68




DOOR BELT
FLEXIBLE PUNCHED
STEEL BASE ENCASED IN
RUBBER WITH HIGH PILE
MOQUETTE AND BEADED
STEEL EDGE.
2.44 METRE LENGTHS

REPINCH-YM3




DOOR BELT
FLEXIBLE PUNCHED
STEEL BASE ENCASED IN
RUBBER WITH HIGH PILE
MOQUETTE AND
BEADED STAINLESS
STEEL EDGE.
2.44 METRE LENGTHS



REPINCH -MA1

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER.


SUPPLIED IN 2.4 METRE
LENGTHS



REPINCH -MA2

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER, FLOCKED
ON INNER SIDE OF LIP.


SUPPLIED IN 2.4 METRE
LENGTHS



REPINCH -MA5

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER.


SUPPLIED IN 2.4 METRE



REPINCH -MA7

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER, FLOCKED
ON INNER SIDE OF LIP.


SUPPLIED IN 2.4 METRE
LENGTHS



REPINCH -MA10

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER.

SUPPLIED IN 2 METRE LENGTHS




REPINCH -MA11

RIGID STEEL CORE ENCASED
IN RUBBER THROUGH A CROSS
HEAD EXTRUDER.

SUPPLIED IN 2 METRE LENGTHS


Glass Channel-Metal Inserted



RE PINCH- C151CTN

FLEXIBLE, PUNCHED STEEL BASE, ENCASED IN RUBBER WITH HIGH PILE MOQUETTE AND STAINLESS STEEL BEADED EDGE. SUPPLIED IN 2.5 METRE LENGTHS


DOOR BELT



RE PINCH- C155CTW

FLEXIBLE, PUNCHED STEEL BASE, ENCASED IN RUBBER WITH HIGH PILE MOQUETTE AND STAINLESS STEEL BEADED EDGE.


SUPPLIED IN 2.5 METRE LENGTHS



RE PINCH- C57FLT B

PUNCHED STEEL BASE, ENCASED IN RUBBER WITH HIGH PILE MOQUETTE AND FELT. SUPPLIED IN 2.5 METRE LENGTHS


FLEXIBLE CHANNEL



RE PINCH- C57FTS

PUNCHED STEEL BASE, ENCASED IN RUBBER WITH HIGH PILE MOQUETTE AND FELT .

SUPPLIED IN 2.5 METRE LENGTHS




RE PINCH- C58FLT N

PUNCHED STEEL BASE, ENCASED IN RUBBER WITH HIGH PILE MOQUETTE AND FELT.

SUPPLIED IN 2.5 METRE LENGTHS

Glass Channel-Metal Inserted

A
37.




RE PINCH- Y630P

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE AND
STAINLESS STEEL BEADED
EDGE.

**SUPPLIED IN 2.44 METRE
LENGTHS**


FLEXIBLE CHANNEL



RE PINCH- Y620P

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE, FELT
AND STAINLESS STEEL
BEADED EDGE.


**SUPPLIED IN 2.44 METRE
LENGTHS**



RE PINCH- Y526

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE AND
STAINLESS STEEL BEADED
EDGE.


**SUPPLIED IN 2.44 METRE
LENGTHS**



RE PINCH- C52FLT

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE AND
FELT LINING.


SUPPLIED IN 30 METRE COIL



RE PINCH- C53FLTM

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE AND
FELT LINING.

SUPPLIED IN 30 METRE COIL




RE PINCH- C56FLTVW

PUNCHED STEEL BASE,
ENCASED IN RUBBER WITH
HIGH PILE MOQUETTE AND
FELT LINING.

SUPPLIED IN 30 METRE COIL

Glass Channel-Metal Inserted


RIGID CHANNEL



RE PINCH- C103RLT

ROLLED, FORMED RIGID STEEL BASE, RUBBER ENCASED WITH FELT AND MOQUETTE LINING.


SUPPLIED IN 2.5 METRE LENGTHS



RE PINCH- C313

ROLLED, FORMED RIGID STEEL BASE, RUBBER ENCASED WITH FELT AND MOQUETTE LINING AND STAINLESS STEEL EDGES.


SUPPLIED IN 2.44 METRE LENGTHS



RE PINCH- Y658X

ROLLED, FORMED RIGID STEEL BASE, RUBBER ENCASED WITH FELT AND MOQUETTE LINING AND STAINLESS STEEL EDGES.

SUPPLIED IN 2.44 METRE LENGTHS



RE PINCH- Y619P

ROLLED, FORMED RIGID STEEL BASE, RUBBER ENCASED WITH FELT AND MOQUETTE LINING AND STAINLESS STEEL EDGES.

SUPPLIED IN 2.44 METRE LENGTHS

Glass Channel-Flocked Rubber



RE FLOCKING-11-022



RE FLOCKING-14-013



RE FLOCKING-14-016



RE FLOCKING-31-025



RE FLOCKING-32-006



RE FLOCKING-39-037



RE FLOCKING-39-068



RE FLOCKING-39-069

Glass Channel-Flocked Rubber



RE FLOCKING-39-401



RE FLOCKING-39-424



RE FLOCKING-39-425



RE FLOCKING-39-426



RE FLOCKING-39-427




RE FLOCKING-39-430



RE FLOCKING-39-500



RE FLOCKING-39-501



RE FLOCKING-39-502



RE FLOCKING-39-622
(288209)



RE FLOCKING-39-628
(293089)



RE FLOCKING-51-903



RE FLOCKING-64-009



RE FLOCKING-64-017



RE FLOCKING-64-020



RE FLOCKING-64-026



RE FLOCKING-64-028



RE FLOCKING-64-065



RE FLOCKING-64-067



RE FLOCKING-64-139



RE FLOCKING-64-143



RE FLOCKING-64-193




RE FLOCKING-MDB001




RE FLOCKING-SS1150


Pinchwelds - EPDM Rubber and Sponge




REPINCH-002




REPINCH-003




REPINCH-004




REPINCH-005




REPINCH-006




REPINCH-007




REPINCH-008




REPINCH-009




REPINCH-010



REPINCH-011




REPINCH-012




REPINCH-013


Pinchwelds - EPDM Rubber and Sponge




REPINCH-014




REPINCH-015




REPINCH-016
EQUIV. TO BS263376




REPINCH-017




REPINCH-018




REPINCH-020




REPINCH-022




REPINCH-040




REPINCH-056




REPINCH-057



REPINCH-060




REPINCH-115




REPINCH-157


Pinchwelds - EPDM Rubber and Sponge




REPINCH-054- BLACK
REPINCH-054- CAMEL
REPINCH-054- BLUE/GREY
 EQUIV TO BS 283879




REPINCH-054BA- BLACK
REPINCH-054CA- CAMEL
REPINCH-054BG- BLUE/GREY




REPINCH-055N- BLACK




REPINCH-051SCH




REPINCH-052SCH




REPINCH-053SCH




REPINCH-057SCH




REPINCH-056




REPINCH-059




REPINCH-061




REPINCH-062



REPINCH-035




REPINCH-036/1 CHARCOAL
REPINCH-036/2 BLACK
 EQUIV TO BS 283879
REPINCH-036/3 BROWN
REPINCH-036/4 TAN




REPINCH-037


Pinchwelds - PVC / EPDM Rubber



REPINCH-081 BLACK




REPINCH-081 BLACK




REPINCH-081 BLACK


Pinchwelds - PVC / Aluminium core




REPINCH-75001582 BLACK
REPINCH-75001620 WHITE
45 METRE COIL LENGTH
GRIPS EDGES FROM 6.35MM TO 12.7MM




REPINCH-75001585 BLACK
REPINCH-75001623 WHITE
120 METRE COIL LENGTH
GRIPS EDGES FROM 1.52MM TO 4.32MM




REPINCH-75001583 BLACK
REPINCH-75001621 WHITE
75 METRE COIL LENGTH
GRIPS EDGES FROM 3.43MM TO 6.35MM



REPINCH-75001586 BLACK
REPINCH-75001624 WHITE
150 METRE COIL LENGTH
GRIPS EDGES FROM 0.25MM TO 1.27MM



REPINCH-75001584 BLACK
REPINCH-75001622 WHITE
120 METRE COIL LENGTH



REPINCH-75000346 BLACK
REPINCH-75000348 WHITE
120 METRE COIL LENGTH
GRIPS EDGES FROM 2.29MM TO 11.03MM